

EC safety data sheet

Trade name: Zinc oxide spray

Product no.: SA00653

Current version : 5.3.0, issued: 06.09.2018

Replaced version: 5.3.0, issued: 05.09.2018

Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

Zinc oxide spray

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Encourages natural skin regeneration. Care and protection against harmful environmental effects.

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

EW Nutrition GmbH
Hogenbögen 1
49429 Visbek

Telephone no. +49 (0)4445 98 68 - 0
Fax no. +49 (0)4445 98 68 - 119
e-mail info@ew-nutrition.com

Information provided by / telephone

+49 (0)421 5 72 92 - 0

Advice on Safety Data Sheet

sdb_info@umco.de

1.4 Emergency telephone number

For medical advice (in German and English):
+49 (0)551 192 40 (Giftinformationszentrum Nord)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Aerosol 1; H222
Aquatic Chronic 2; H411
Skin Irrit. 2; H315
STOT SE 3; H336

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms



GHS02



GHS07



GHS09

Signal word

Danger

EC safety data sheet

Trade name: Zinc oxide spray

Product no.: SA00653

Current version : 5.3.0, issued: 06.09.2018

Replaced version: 5.3.0, issued: 05.09.2018

Region: GB

Hazard statement(s)

H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P261	Avoid breathing vapours/spray.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection.
P391	Collect spillage.
P405	Store locked up.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.
P501	Dispose of contents/container to a facility in accordance with local and national regulations.

2.3 Other hazards

During and after use possible formation of combustible mixture with solvents.

PBT assessment
No data available.

vPvB assessment
No data available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Chemical characterization

Powder spray for dry disinfection

EC safety data sheet

Trade name: Zinc oxide spray

Product no.: SA00653

Current version : 5.3.0, issued: 06.09.2018

Replaced version: 5.3.0, issued: 05.09.2018

Region: GB

Hazardous ingredients

No	Substance name	Additional information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration
			%
1	butane		
	106-97-8 203-448-7 601-004-00-0 01-2119474691-32	Flam. Gas 1; H220 Press. Gas liq.; H280	>= 25.00 - < 50.00 %-b.w.
2	propane		
	74-98-6 200-827-9 601-003-00-5 01-2119486944-21	Flam. Gas 1; H220 Press. Gas liq.; H280	>= 10.00 - < 25.00 %-b.w.
3	Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane		
	64742-49-0 926-605-8 - 01-2119486291-36	Aquatic Chronic 2; H411 Asp. Tox. 1; H304 Flam. Liq. 2; H225 STOT SE 3; H336	>= 10.00 - < 25.00 %-b.w.
4	White mineral oil (petroleum)		
	8042-47-5 232-455-8 - 01-2119487078-27	Asp. Tox. 1; H304	>= 10.00 - < 25.00 %-b.w.
5	zinc oxide		
	1314-13-2 215-222-5 030-013-00-7 01-2119463881-32	Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 2.50 - < 25.00 %-b.w.
6	Hydrocarbons, C6, isoalkanes, <5% n-hexane		
	64742-49-0 931-254-9 - 01-2119484651-34	Flam. Liq. 2; H225 Asp. Tox. 1; H304 Skin Irrit. 2; H315 STOT SE 3; H336 Aquatic Chronic 2; H411	>= 5.00 - < 10.00 %-b.w.
7	Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics		
	- 927-510-4 - 01-2119475515-33	Aquatic Chronic 2; H411 Asp. Tox. 1; H304 Flam. Liq. 2; H225 Skin Irrit. 2; H315 STOT SE 3; H336	>= 5.00 - < 10.00 %-b.w.
8	Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane		
	64742-49-0 921-024-6 - 01-2119475514-35	Aquatic Chronic 2; H411 Flam. Liq. 2; H225 Skin Irrit. 2; H315 STOT SE 3; H336 Asp. Tox. 1; H304	>= 5.00 - < 10.00 %-b.w.
9	n-hexane		
	110-54-3 203-777-6 601-037-00-0 01-2119480412-44	Aquatic Chronic 2; H411 Asp. Tox. 1; H304 Flam. Liq. 2; H225 Repr. 2; H361f Skin Irrit. 2; H315 STOT RE 2; H373 STOT SE 3; H336	< 2.50 %-b.w.
10	cyclohexane		
	110-82-7 203-806-2 601-017-00-1 01-2119463273-41	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 Asp. Tox. 1; H304 Flam. Liq. 2; H225 Skin Irrit. 2; H315 STOT SE 3; H336	< 0.50 %-b.w.

EC safety data sheet

Trade name: Zinc oxide spray

Product no.: SA00653

Current version : 5.3.0, issued: 06.09.2018

Replaced version: 5.3.0, issued: 05.09.2018

Region: GB

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	C, U	-	-	-
2	U	-	-	-
5	-	-	M = 1	-

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In all cases of doubt, or when sickness symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. Remove soiled or soaked clothing immediately.

After inhalation

Remove to fresh air, keep patient warm and at rest. Irregular breathing/no breathing: artificial respiration. If unconscious place in recovery position and seek medical advice.

After skin contact

In the event of contact with the skin wash immediately with polyethylene glycol, then with plenty of water. Do NOT use solvents or thinners.

After eye contact

Remove contact lenses, irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart and seek medical advice.

After ingestion

Do not induce vomiting - aspiration hazard. Call a doctor immediately. Never give anything by mouth to an unconscious person. Keep at rest.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Alcohol resistant foam, CO₂, powders, water spray

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

Fire will produce dense black smoke. Exposure to decomposition products may cause a health hazard. Exposure to heat may cause bursting of the aerosol packagings.

5.3 Advice for firefighters

Cool endangered containers with water in case of fire. Appropriate breathing apparatus may be required. DO NOT ALLOW RUN-OFF FROM FIRE FIGHTING TO ENTER DRAINS OR WATER COURSES

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Exclude sources of ignition and ventilate the area. Do not inhale vapours. Refer to protective measures listed in sections 7 and 8.

EC safety data sheet

Trade name: Zinc oxide spray

Product no.: SA00653

Current version : 5.3.0, issued: 06.09.2018

Replaced version: 5.3.0, issued: 05.09.2018

Region: GB

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Do not allow to enter drains. If the product contaminates lakes, rivers or sewage, inform appropriate authorities in accordance with local regulations.

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Clean preferably with a detergent - avoid use of solvents.

6.4 Reference to other sections

No data available.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Prevent the creation of flammable or explosive concentrations of vapour in air and avoid vapour concentration higher than the occupational exposure limits. The product should only be used in areas from which all naked lights and other sources of ignition have been excluded. Comply with the health and safety at work laws.

General protective and hygiene measures

Do not eat or drink during work - no smoking.

Advice on protection against fire and explosion

Vapours are heavier than air and may spread along floors. Vapours may form explosive mixtures with air.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Always keep in containers of same material as the original one. See also instructions on the label. Avoid heating and direct sunlight. Keep container dry in a cool, well-ventilated place.

Recommended storage temperature

Value 20 - 25 °C

Requirements for storage rooms and vessels

Storage rooms must be properly ventilated.

Advice on storage assembly

Keep away from oxidizing agents, from strongly alkaline and strongly acid materials.

7.3 Specific end use(s)

No data available.

EC safety data sheet

Trade name: Zinc oxide spray

Product no.: SA00653

Current version : 5.3.0, issued: 06.09.2018

Replaced version: 5.3.0, issued: 05.09.2018

Region: GB

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.	EC no.
1	butane	106-97-8	203-448-7
List of approved workplace exposure limits (WELs) / EH40			
Butane			
	STEL	1810 mg/m ³	750 ml/m ³
	TWA	1450 mg/m ³	600 ml/m ³
2	propane	74-98-6	200-827-9
List of approved workplace exposure limits (WELs) / EH40			
Propane			
3	zinc oxide	1314-13-2	215-222-5
List of approved workplace exposure limits (WELs) / EH40			
Zinc oxide, fume			
	STEL	10 mg/m ³	
	TWA	5 mg/m ³	
4	n-hexane	110-54-3	203-777-6
List of approved workplace exposure limits (WELs) / EH40			
n-Hexane			
	TWA	72 mg/m ³	20 ml/m ³
2006/15/EC			
n-Hexane			
	TWA	72 mg/m ³	20 ppm
5	cyclohexane	110-82-7	203-806-2
List of approved workplace exposure limits (WELs) / EH40			
Cyclohexane			
	STEL	1050 mg/m ³	300 ml/m ³
	TWA	350 mg/m ³	100 ml/m ³
2006/15/EC			
Cyclohexane			
	TWA	700 mg/m ³	200 ppm

EC safety data sheet

Trade name: Zinc oxide spray

Product no.: SA00653

Current version : 5.3.0, issued: 06.09.2018

Replaced version: 5.3.0, issued: 05.09.2018

Region: GB

DNEL, DMEL and PNEC values

DNEL values (worker)

No	Substance name			CAS / EC no
	Route of exposure	Exposure time	Effect	Value
1	Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane			64742-49-0 926-605-8
	dermal	Long term (chronic)	systemic	773 mg/kg/day
	inhalative	Long term (chronic)	systemic	2035 mg/m ³
2	White mineral oil (petroleum)			8042-47-5 232-455-8
	dermal	Long term (chronic)	systemic	220 mg/kg/day
	inhalative	Long term (chronic)	systemic	160 mg/m ³
3	zinc oxide			1314-13-2 215-222-5
	dermal	Long term (chronic)	systemic	83 mg/kg/day
	with reference to: Zn Remarks: insoluble			
	inhalative	Long term (chronic)	systemic	5 mg/m ³
	with reference to: Zn Remarks: insoluble			
4	Hydrocarbons, C6, isoalkanes, <5% n-hexane			64742-49-0 931-254-9
	dermal	Long term (chronic)	systemic	13964 mg/kg/day
	inhalative	Long term (chronic)	systemic	5306 mg/m ³
5	Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics			- 927-510-4
	dermal	Long term (chronic)	systemic	300 mg/kg/day
	inhalative	Long term (chronic)	systemic	2085 mg/m ³
6	n-hexane			110-54-3 203-777-6
	dermal	Long term (chronic)	systemic	11 mg/kg
	inhalative	Long term (chronic)	systemic	75 mg/m ³
7	cyclohexane			110-82-7 203-806-2
	inhalative	Short term (acut)	systemic	700 mg/m ³

EC safety data sheet

Trade name: Zinc oxide spray

Product no.: SA00653

Current version : 5.3.0, issued: 06.09.2018

Replaced version: 5.3.0, issued: 05.09.2018

Region: GB

DNEL value (consumer)

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane			64742-49-0 926-605-8	
	oral	Long term (chronic)	systemic	699	mg/kg/day
	dermal	Long term (chronic)	systemic	699	mg/kg/day
	inhalative	Long term (chronic)	systemic	603	mg/m ³
2	White mineral oil (petroleum)			8042-47-5 232-455-8	
	oral	Long term (chronic)	systemic	40	mg/kg/day
	dermal	Long term (chronic)	systemic	92	mg/kg/day
	inhalative	Long term (chronic)	systemic	35	mg/m ³
3	zinc oxide			1314-13-2 215-222-5	
	oral	Long term (chronic)	systemic	0.83	mg/kg/day
	with reference to: Zn Remarks: insoluble				
	dermal	Long term (chronic)	systemic	83	mg/kg/day
	with reference to: Zn Remarks: insoluble				
	inhalative	Long term (chronic)	systemic	2.5	mg/m ³
with reference to: Zn Remarks: insoluble					
4	Hydrocarbons, C6, isoalkanes, <5% n-hexane			64742-49-0 931-254-9	
	oral	Long term (chronic)	systemic	1301	mg/kg/day
	dermal	Long term (chronic)	systemic	1377	mg/kg/day
	inhalative	Long term (chronic)	systemic	1131	mg/m ³
5	Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics			- 927-510-4	
	oral	Long term (chronic)	systemic	149	mg/kg/day
	dermal	Long term (chronic)	systemic	149	mg/kg/day
	inhalative	Long term (chronic)	systemic	447	mg/m ³
6	n-hexane			110-54-3 203-777-6	
	oral	Long term (chronic)	systemic	4	mg/kg
	dermal	Long term (chronic)	systemic	5.3	mg/kg
	inhalative	Long term (chronic)	systemic	16	mg/m ³
7	cyclohexane			110-82-7 203-806-2	
	dermal	Long term (chronic)	systemic	2016	mg/kg
	inhalative	Short term (acute)	local	700	mg/m ³
	inhalative	Long term (chronic)	systemic	700	mg/m ³
	inhalative	Long term (chronic)	local	700	mg/m ³

EC safety data sheet

Trade name: Zinc oxide spray

Product no.: SA00653

Current version : 5.3.0, issued: 06.09.2018

Replaced version: 5.3.0, issued: 05.09.2018

Region: GB

PNEC values

No	Substance name	CAS / EC no	
	ecological compartment	Type	Value
1	zinc oxide		1314-13-2 215-222-5
	water	fresh water	20.6 µg/L
	with reference to: Zn		
	water	marine water	6.1 µg/L
	with reference to: Zn		
	water	fresh water sediment	117.8 mg/kg
	water	marine water sediment	56.5 mg/kg
	with reference to: Zn, dry weight		
	soil	-	35.6 mg/kg
with reference to: Zn, dry weight			
	sewage treatment plant	-	100 µg/L
2	cyclohexane		110-82-7 203-806-2
	water	fresh water	0.207 mg/L
	water	marine water	0.207 mg/L
	water	fresh water sediment	3.267 mg/kg
	water	marine water sediment	3.267 mg/kg
	soil	-	2.99 mg/kg

8.2 Exposure controls

Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL, suitable respiratory protection must be worn.

Personal protective equipment

Respiratory protection

If workers are exposed to concentrations above the exposure limit they must use appropriate, certified respirators. Use half-mask model with cartridge or air-fed.

Eye / face protection

Wear safety goggles to protect against solvent splashes.

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Other

Personal should wear antistatic clothings made of natural fiber or of high temperature resistant synthetic fiber. All parts of the body should be washed after contact.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form/Colour
liquid
white
Odour
petrol-like

EC safety data sheet

Trade name: Zinc oxide spray

Product no.: SA00653

Current version : 5.3.0, issued: 06.09.2018

Replaced version: 5.3.0, issued: 05.09.2018

Region: GB

Odour threshold	
No data available	
pH value	
Not applicable	
Boiling point / boiling range	
Value	< -20 °C
Source	supplier
Melting point / melting range	
Not applicable	
Decomposition point / decomposition range	
not determined	
Flash point	
Value	< -20 °C
Source	supplier
Ignition temperature	
Value	> 200 °C
Source	supplier
Auto-ignition temperature	
Not applicable	
Oxidising properties	
not determined	
Explosive properties	
No data available	
Flammability (solid, gas)	
Not applicable	
Lower flammability or explosive limits	
Value	0.6 % vol
Source	supplier
Upper flammability or explosive limits	
Value	8.4 % vol
Source	supplier
Vapour pressure	
not determined	
Vapour density	
No data available	
Evaporation rate	
No data available	
Relative density	
No data available	
Density	
Value	0.74 g/cm ³
Reference temperature	20 °C
Source	supplier
Solubility in water	
Source	supplier
Remarks	essentially insoluble

EC safety data sheet

Trade name: Zinc oxide spray

Product no.: SA00653

Current version : 5.3.0, issued: 06.09.2018

Replaced version: 5.3.0, issued: 05.09.2018

Region: GB

Solubility(ies)
No data available

Partition coefficient: n-octanol/water
No data available

Viscosity
Not applicable

9.2 Other information

Other information
No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

Dangerous reactions are not expected if the product is handled according to its intended use.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

No data available.

10.4 Conditions to avoid

Heat, naked flames and other ignition sources.

10.5 Incompatible materials

Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

10.6 Hazardous decomposition products

When exposed to high temperatures may produce hazardous decomposition products such as carbon monoxide and dioxide, smoke, oxides of nitrogen.

EC safety data sheet

Trade name: Zinc oxide spray

Product no.: SA00653

Current version : 5.3.0, issued: 06.09.2018

Replaced version: 5.3.0, issued: 05.09.2018

Region: GB

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity			
No	Substance name	CAS no.	EC no.
1	White mineral oil (petroleum)	8042-47-5	232-455-8
LD50	>	5000	mg/kg bodyweight
Species	rat		
Method	OECD 401		
Source	ECHA		
2	zinc oxide	1314-13-2	215-222-5
LD50	>	5000	mg/kg bodyweight
Species	rat		
Method	OECD 401		
Source	ECHA		
3	Hydrocarbons, C6, isoalkanes, <5% n-hexane	64742-49-0	931-254-9
LD50	>	5000	mg/kg bodyweight
Species	rat		
Method	OECD 401		
Source	ECHA		
4	Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	-	927-510-4
LD50	>	5840	mg/kg bodyweight
Species	rat		
Source	ECHA		
5	cyclohexane	110-82-7	203-806-2
LD50	>	5000	mg/kg bodyweight
Species	rat		
Method	OECD 401		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Acute dermal toxicity			
No	Substance name	CAS no.	EC no.
1	White mineral oil (petroleum)	8042-47-5	232-455-8
LD50	>	2000	mg/kg bodyweight
Species	rabbit		
Method	OECD 402		
Source	ECHA		
2	zinc oxide	1314-13-2	215-222-5
LD50	>	2000	mg/kg bodyweight
Species	rat		
Method	OECD 402		
Source	ECHA		
3	Hydrocarbons, C6, isoalkanes, <5% n-hexane	64742-49-0	931-254-9
LD50	>	3350	mg/kg bodyweight
Species	rabbit		
Method	OECD 402		
Source	ECHA		
4	Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	-	927-510-4
LD50	> 2800 - 3100		mg/kg bodyweight
Species	rat		
Source	ECHA		
5	cyclohexane	110-82-7	203-806-2
LD50	>	2000	mg/kg bodyweight
Species	rabbit		
Method	OECD 402		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

EC safety data sheet

Trade name: Zinc oxide spray

Product no.: SA00653

Current version : 5.3.0, issued: 06.09.2018

Replaced version: 5.3.0, issued: 05.09.2018

Region: GB

Acute inhalational toxicity			
No	Substance name	CAS no.	EC no.
1	Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane	64742-49-0	926-605-8
LC50	>	25.2	mg/l
Duration of exposure		4	h
State of aggregation	Vapour		
Species	rat		
Source	ECHA		
2	White mineral oil (petroleum)	8042-47-5	232-455-8
LC50	>	5	mg/l
Duration of exposure		4	h
State of aggregation	Dust/mist		
Species	rat		
Method	OECD 403		
Source	ECHA		
3	zinc oxide	1314-13-2	215-222-5
LC50	>	5.7	mg/l
Duration of exposure		4	h
State of aggregation	Dust/mist		
Species	rat		
Method	OECD 403		
Source	ECHA		
4	Hydrocarbons, C6, isoalkanes, <5% n-hexane	64742-49-0	931-254-9
LC50		259	mg/l
Duration of exposure		4	h
State of aggregation	Vapour		
Species	rat		
Method	OECD 403		
Source	ECHA		
5	Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	-	927-510-4
LC50	>	23.3	mg/l
Duration of exposure		4	h
State of aggregation	Vapour		
Species	rat		
Method	OECD 403		
Source	ECHA		
6	Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane	64742-49-0	921-024-6
LC50	>	25.2	mg/l
Duration of exposure		4	h
State of aggregation	Vapour		
Species	rat		
Source	ECHA		
7	cyclohexane	110-82-7	203-806-2
LC50	>	19.07	mg/l
Duration of exposure		4	h
State of aggregation	Dust/mist		
Species	rat		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

EC safety data sheet

Trade name: Zinc oxide spray

Product no.: SA00653

Current version : 5.3.0, issued: 06.09.2018

Replaced version: 5.3.0, issued: 05.09.2018

Region: GB

Skin corrosion/irritation			
No	Substance name	CAS no.	EC no.
1	Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane	64742-49-0	926-605-8
Species		rabbit	
Method		OECD 404	
Source		ECHA	
Evaluation		irritant	
2	White mineral oil (petroleum)	8042-47-5	232-455-8
Species		rabbit	
Method		OECD 404	
Source		ECHA	
Evaluation		non-irritant	
3	zinc oxide	1314-13-2	215-222-5
Species		rabbit	
Method		OECD 404	
Source		ECHA	
Evaluation		non-irritant	
4	Hydrocarbons, C6, isoalkanes, <5% n-hexane	64742-49-0	931-254-9
Duration of exposure		4	h
Species		rabbit	
Method		OECD 404	
Source		ECHA	
Evaluation		non-irritant	
Evaluation/classification		Based on available data, the classification criteria are met.	
5	Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	-	927-510-4
Species		rabbit	
Method		OECD 404	
Source		ECHA	
Evaluation		irritant	
6	Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane	64742-49-0	921-024-6
Species		rabbit	
Method		OECD 404	
Source		ECHA	
Evaluation		irritant	
Serious eye damage/irritation			
No	Substance name	CAS no.	EC no.
1	White mineral oil (petroleum)	8042-47-5	232-455-8
Species		rabbit	
Method		OECD 405	
Source		ECHA	
Evaluation		non-irritant	
2	zinc oxide	1314-13-2	215-222-5
Species		rabbit	
Method		OECD 405	
Source		ECHA	
Evaluation		non-irritant	
3	Hydrocarbons, C6, isoalkanes, <5% n-hexane	64742-49-0	931-254-9
Duration of exposure		72	h
Species		rabbit	
Method		OECD 405	
Source		ECHA	
Evaluation		non-irritant	
4	Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	-	927-510-4
Species		rabbit	
Source		ECHA	
Evaluation		non-irritant	

EC safety data sheet

Trade name: Zinc oxide spray

Product no.: SA00653

Current version : 5.3.0, issued: 06.09.2018

Replaced version: 5.3.0, issued: 05.09.2018

Region: GB

Respiratory or skin sensitisation			
No	Substance name	CAS no.	EC no.
1	White mineral oil (petroleum)	8042-47-5	232-455-8
Route of exposure		Skin	
Species		guinea pig	
Method		OECD 406	
Source		ECHA	
Evaluation		non-sensitizing	
2	zinc oxide	1314-13-2	215-222-5
Route of exposure		respiratory tract	
Source		ECHA	
Evaluation		non-sensitizing	
Evaluation/classification		Based on available data, the classification criteria are not met.	
Route of exposure		Skin	
Species		Guinea pig	
Method		OECD 406	
Source		ECHA	
Evaluation		non-sensitizing	
Evaluation/classification		Based on available data, the classification criteria are not met.	
3	Hydrocarbons, C6, isoalkanes, <5% n-hexane	64742-49-0	931-254-9
Route of exposure		Skin	
Species		mouse	
Method		OECD 429	
Source		ECHA	
Evaluation		non-sensitizing	
4	Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	-	927-510-4
Route of exposure		Skin	
Species		guinea pig	
Method		OECD 406	
Source		ECHA	
Evaluation		non-sensitizing	
Germ cell mutagenicity			
No	Substance name	CAS no.	EC no.
1	Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane	64742-49-0	926-605-8
Route of exposure		inhalational	
Type of examination		Chromosome aberration test	
Species		rat	
Method		OECD 475	
Source		ECHA	
2	Hydrocarbons, C6, isoalkanes, <5% n-hexane	64742-49-0	931-254-9
Type of examination		gene mutation assay	
Species		Salmonella typhimurium	
Method		OECD 471	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
Route of exposure		inhalational	
Type of examination		Chromosome aberration test	
Species		rat	
Method		OECD 475	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	

EC safety data sheet

Trade name: Zinc oxide spray

Product no.: SA00653

Current version : 5.3.0, issued: 06.09.2018

Replaced version: 5.3.0, issued: 05.09.2018

Region: GB

Reproduction toxicity			
No	Substance name	CAS no.	EC no.
1	Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane	64742-49-0	926-605-8
Route of exposure		inhalational	
NOAEC		9000	ppm
Type of examination	2 generation study		
Species	rat		
Method	OECD 416		
Source	ECHA		
2	Hydrocarbons, C6, isoalkanes, <5% n-hexane	64742-49-0	931-254-9
Route of exposure		inhalational	
NOAEC		9000	ppm
Duration of exposure		13	week/s
Type of examination	2 generation study		
Species	rat		
Method	OECD 416		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Carcinogenicity			
No	Substance name	CAS no.	EC no.
1	Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane	64742-49-0	926-605-8
Route of exposure		inhalational	
NOAEC		3000	ppm
Species	rat		
Method	OECD 451		
Source	ECHA		
2	Hydrocarbons, C6, isoalkanes, <5% n-hexane	64742-49-0	931-254-9
Route of exposure		inhalational	
NOAEC		9016	ppm
Duration of exposure		2	year(s)
Species	mouse		
Method	OECD 451		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

EC safety data sheet

Trade name: Zinc oxide spray

Product no.: SA00653

Current version : 5.3.0, issued: 06.09.2018

Replaced version: 5.3.0, issued: 05.09.2018

Region: GB

STOT - single exposure			
No data available			

STOT - repeated exposure			
No	Substance name	CAS no.	EC no.
1	Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane	64742-49-0	926-605-8
Route of exposure		inhalational	
NOAEC		14000	mg/m ³
Duration of exposure		8	h
Species		rat	
Source		ECHA	
2	Hydrocarbons, C6, isoalkanes, <5% n-hexane	64742-49-0	931-254-9
Route of exposure		inhalational	
NOAEC		2984	ppm
Duration of exposure		13	week/s
Species		mouse	
Target organ		liver, kidney	
Method		OECD 413	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
Route of exposure		inhalational	
NOAEC		8992	ppm
Duration of exposure		13	week/s
Species		mouse	
Method		OECD 413	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
3	Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane	64742-49-0	921-024-6
Route of exposure		inhalational	
NOAEC		14000	mg/m ³
Species		rat	
Source		ECHA	

Aspiration hazard			
No data available			

Delayed and immediate effects as well as chronic effects from short and long-term exposure			
Exposure to component solvents vapours concentration in excess of the stated occupational exposure limit may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on kidney, liver and central nervous system. Symptoms and signs include headache, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness. Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and absorption through the skin. The liquid splashed in the eyes may cause irritation and reversible damage.			

EC safety data sheet

Trade name: Zinc oxide spray

Product no.: SA00653

Current version : 5.3.0, issued: 06.09.2018

Replaced version: 5.3.0, issued: 05.09.2018

Region: GB

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish (acute)			
No	Substance name	CAS no.	EC no.
1	Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane	64742-49-0	926-605-8
LL50		11.4	mg/l
Duration of exposure		96	h
Species	Oncorhynchus mykiss		
Method	OECD 203		
Source	ECHA		
2	White mineral oil (petroleum)	8042-47-5	232-455-8
LL50		>	1000 mg/l
Duration of exposure		96	h
Species	Leuciscus idus		
Method	OECD 203		
Source	ECHA		
3	Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	-	927-510-4
LL50		>	13.4 mg/l
Duration of exposure		96	h
Species	Oncorhynchus mykiss		
Method	OECD 203		
Source	ECHA		
4	cyclohexane	110-82-7	203-806-2
LC50		4.53	mg/l
Duration of exposure		96	h
Species	Pimephales promelas		
Method	OECD 203		
Source	ECHA		

Toxicity to fish (chronic)

No data available

Toxicity to Daphnia (acute)

No	Substance name	CAS no.	EC no.
1	Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane	64742-49-0	926-605-8
EL50		3	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Method	OECD 202		
Source	ECHA		
2	White mineral oil (petroleum)	8042-47-5	232-455-8
EL50		>	100 mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Method	OECD 202		
Source	ECHA		
3	Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	-	927-510-4
EC50		3	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Method	OECD 202		
Source	ECHA		
4	cyclohexane	110-82-7	203-806-2
EC50		0.9	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Method	OECD 202		
Source	ECHA		

EC safety data sheet

Trade name: Zinc oxide spray

Product no.: SA00653

Current version : 5.3.0, issued: 06.09.2018

Replaced version: 5.3.0, issued: 05.09.2018

Region: GB

Toxicity to Daphnia (chronic)			
No	Substance name	CAS no.	EC no.
1	zinc oxide	1314-13-2	215-222-5
NOEC		82	µg/l
Duration of exposure		7	day(s)
Species with reference to Source	Daphnia magna pH 6.0 CSR		

Toxicity to algae (acute)			
No	Substance name	CAS no.	EC no.
1	Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane	64742-49-0	926-605-8
EL50		1030	mg/l
Duration of exposure		72	h
Species	Raphidocelis subcapitata		
Method	OECD 201		
Source	ECHA		
2	zinc oxide	1314-13-2	215-222-5
EC50		0.042	mg/l
Duration of exposure		72	h
Species	Algae		
Source	Manufacturer		
3	Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	-	927-510-4
EL50	10	- 30	mg/l
Duration of exposure		72	h
Species	Pseudokirchneriella subcapitata		
Method	OECD 201		
Source	ECHA		
4	cyclohexane	110-82-7	203-806-2
ErC50	>	4.425	mg/l
Duration of exposure		72	h
Species	Pseudokirchneriella subcapitata		
Method	OECD 201		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Toxicity to algae (chronic)			
No	Substance name	CAS no.	EC no.
1	zinc oxide	1314-13-2	215-222-5
NOEC		19	µg/l
Duration of exposure		7	day(s)
Species with reference to Source	Pseudokirchneriella subcapitata pH 8.0 CSR		
2	cyclohexane	110-82-7	203-806-2
NOEC		0.9	mg/l
Duration of exposure		72	h
Species	Pseudokirchneriella subcapitata		
Method	OECD 201		
Source	ECHA		

EC safety data sheet

Trade name: Zinc oxide spray

Product no.: SA00653

Current version : 5.3.0, issued: 06.09.2018

Replaced version: 5.3.0, issued: 05.09.2018

Region: GB

Bacteria toxicity

No data available

12.2 Persistence and degradability

Biodegradability

No	Substance name	CAS no.	EC no.
1	Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane	64742-49-0	926-605-8
Type		aerobic biodegradation	
Value		98	%
Duration		28	day(s)
Method		OECD 301 F	
Source		ECHA	
Evaluation		readily degradable	
2	White mineral oil (petroleum)	8042-47-5	232-455-8
Value		31	%
Duration		28	day(s)
Method		OECD 301 F	
Source		ECHA	
Evaluation		potentially biodegradable	
3	Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	-	927-510-4
Type		aerobic biodegradation	
Value		83	%
Duration		28	day(s)
Method		OECD 301 F	
Source		ECHA	
Evaluation		readily biodegradable	

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment

PBT assessment	No data available.
vPvB assessment	No data available.

12.6 Other adverse effects

No data available.

12.7 Other information

Other information

There are no data available on the preparation itself. For components which are dangerous for the environment see section 3.

The product should not be allowed to enter drains or water courses.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste code 16 05 04* gases in pressure containers (including halons) containing hazardous substances

The listed waste code numbers, according to the European Waste Catalogue, are to be understood as a recommendation. A final decision must be made in agreement with the regional waste disposal company. Hand over only completely emptied aerosol cans for valuable substance recovery!

Packaging

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse. Packaging that cannot be cleaned should be disposed of in agreement with the regional waste disposal company.

EC safety data sheet

Trade name: Zinc oxide spray

Product no.: SA00653

Current version : 5.3.0, issued: 06.09.2018

Replaced version: 5.3.0, issued: 05.09.2018

Region: GB

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

Class	2
Classification code	5F
UN number	UN1950
Proper shipping name	AEROSOLS
Tunnel restriction code	D
Label	2.1
Environmentally hazardous substance mark	Symbol "fish and tree"

14.2 Transport IMDG

Class	2
UN number	UN1950
Proper shipping name	AEROSOLS
Technical name	Hydrocarbons, C6-C7, isoalkanes, cyclics, < 5% n-hexane
EmS	F-D, S-U
Label	2.1
Marine pollutant mark	Symbol "fish and tree"
Remarks	The outer packings (boxes or cartons) should comply with the Regulations of Packing Group II at least.

14.3 Transport ICAO-TI / IATA

Class	2.1
UN number	UN1950
Proper shipping name	Aerosols, flammable
Label	2.1
Remarks	The outer packings (boxes or cartons) should comply with the Regulations of Packing Group II (IATA-Regulation 5.2 PI203).

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, PREPARATIONS AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annexe XVII.	No 3
---	------

EC safety data sheet

Trade name: Zinc oxide spray

Product no.: SA00653

Current version : 5.3.0, issued: 06.09.2018

Replaced version: 5.3.0, issued: 05.09.2018

Region: GB

The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

No	Substance name	CAS no.	EC no.	No
1	cyclohexane	110-82-7	203-806-2	57

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is subject to Part I of Annex I, risk category: E2, P3a

If the properties of the substance/product give rise to more than one classification, for the purposes of 2012/18/UE, the lowest qualifying quantities set out in Part 1 and Part 2 of Annex I shall apply.

Directive 2010/75/EU on industrial emissions (integrated pollution prevention and control)

VOC content	509.65 g/l
VOC-value	68.871 %

Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

EC Directives 2000/39/EC, 2006/15/EC, 2009/161/EU

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding chapter.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H220	Extremely flammable gas.
H225	Highly flammable liquid and vapour.
H280	Contains gas under pressure; may explode if heated.
H304	May be fatal if swallowed and enters airways.
H361f	Suspected of damaging fertility.
H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)

C	Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.
U	When put on the market gases have to be classified as 'Gases under pressure', in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case.

Department issuing safety data sheet

UMCO GmbH

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.
Prod-ID 17785