



according to Regulation (EC) Nr. 1907/2006 (REACH)

Print date: 20.04.2017

Revision number 3.1

Version date: 20.04.2017

1 Identification of the substance/mixture and of the company/undertaking 1.1 **Product identifier Ebersduftpray** · Product name: · Product codes: 22153 1.2 Relevant identified uses of the substance or mixture and uses advised against · Identified uses of the substance or mixture Aerosol 1.3 Details of the supplier of the safety data sheet Albert Kerbl GmbH Felizenzell 9 D-84428 Buchbach www.kerbl.com Tel.: 0049-(0)8086-933-100 E-Mail: info@kerbl.com · Responsible Department: Albert Kerbl GmbH Tel.: 0049-(0)8086-933-104 E-Mail: bm@kerbl.com 1.4 **Emergency telephone number:** Gemeinsames Giftinformationszentrum der Länder Mecklenburg-Vorpommern, Sachsen, Sachsen-Anhalt und Thüringen c/o HELIOS Klinikum Erfurt Nordhäuser Straße 74 Tel.: (03 61) 73 07 30 - Fax: (03 61) 7 30 73 17 E-Mail: ggiz@ggiz-erfurt.de - Internet: www.ggiz-erfurt.de 2 Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) Nr. 1272/2008 Aerosol: Aerosol 1 (H222, H229)

2.2 Label elements

Label elements according to Regulation (EC) Nr. 1272/2008 (CLP/GHS) Hazard pictograms





Regulation (EC) Nr. 1907/2006 (REACH)

Print date: 20.04.2017 Revision number 3.1 Version date: 20.04.2017 Product name: Eberduftspray Product code: 22153

Hazard statements

H222 Extremely flammable aerosol. H229 Pressurised container: May burst if heated.

Precautionary statements

P102 Keep out of reach of children.

- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P211 Do not spray on an open flame or other ignition source.
- P251 Do not pierce or burn, even after use.
- P403 Store in a well-ventilated place.
- P410+P412 Protect from sunlight. Do no expose to temperatures exceeding 50 °C/122 °F.

2.3 Other hazards

The mixture does not meet the criteria for PBT or vPvB.

3 Composition/information on ingredients

Chemical Characterization: Mixtures

Hazardous ingredients:

CAS: 74-98-6 EC-Nr. 200-827-9 Index-Nr 601-003-00-5	Propane Flam. Gas 1, H220; Press. Gas, H280	30-50 %
CAS: 106-97-8 EC-Nr. 203-448-7 Index-Nr 601-004-00-0	n-Butane Flam. Gas 1, H220; Press. Gas, H280	30-50 %
CAS: 67-63-0 EC-Nr. 200-661-7 Index-Nr. 603-117-00-0	Propan-2-ol (Isopropanol) Flam. Liq. 2 ; H225 Eye Irrit. 2 ; H319 STOT SE 3 ; H336	5-10 %
Additional information:		

Additional information:

The wording of the listed risk phrases and hazard statements refer to section 16.

4 First aid measures

4.1 Description of first aid measures

General information:

As a general rule, in case of doubt or if symptoms persist, always call a doctor. NEVER induce swallowing by an unconscious person.

· Inhalation:

Move to fresh air. If symptoms persist, call a physician.

· Skin contact:

Remove immediately any soiled or splashed garment. Rinse abundantly in the water and in the soap. Consult a doctor in case of persistent pain.

· Eye contact:

Wash thoroughly with soft, clean water for 15 minutes holding the eyelids open. If there is any redness, pain or visual impairment, consult an ophthalmologist.



Print date: 20.04.2017

Safety Data Sheet

Regulation (EC) Nr. 1907/2006 (REACH) Revision number 3.1

Version date: 20.04.2017

Product name: Eberduftspray

Product code: 22153

· Ingestion:

Wash out mouth thoroughly and drink 1-2 glasses of water in small sips.

- **4.2 Most important symptoms and effects, both acute and delayed** Inhalation of spray mist is irritating to the upper airways. Vapours may cause drowsiness and dizziness. May cause discomfort if swallowed. Prolonged skin contact may cause redness, irritation and dry skin. Irritation of eyes and mucous membranes.
- **4.3 Indication of any immediate medical attention and special treatment needed** Treat symptomatically.

5 Firefighting measures

5.1 Extinguishing media

Suitable methods of extinction - In the event of a fire, use: sprayed water or water mist, foam, multipurpose ABC powder, BC powder, carbon dioxide (CO2) Unsuitable methods of extinction - In the event of a fire, do not use: water jet

- 5.2 Special hazards arising from the substance or mixture Extremely flammable aerosol. Pressurised container: May burst if heated. A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health. Do not breathe in smoke. In the event of a fire, the following may be formed: carbon monoxide (CO), carbon dioxide (CO2)
- 5.3 Advice for firefighters
 Special protective equipment: Wear self-contained breathing apparatus.
 Further information
 Cool endangered containers with water spray jet.
 Dispose fire residues and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected people away. Keep people away and stay on the upwind side. Keep ignition sources away. No smoking. Consult the safety measures listed under headings 7 and 8.
- **6.2 Environmental precautions:** Avoid unnecessary release to the environment. Prevent any material from entering drains or waterways. In case of entry into waterways, soil or drains, inform the responsible authorities.
- **6.3 Methods and material for containment and cleaning up:** Collect spillage. Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Ensure adequate ventilation.

6.4 Reference to other sections Information regarding safe handling see chapter 7. Information regarding personal protection see chapter 8.

Information regarding disposal see chapter 13.



Print date: 20.04.2017

Safety Data Sheet

Regulation (EC) Nr. 1907/2006 (REACH)

Revision number 3.1

Version date: 20.04.2017

Product name: Eberduftspray

Product code: 22153

7 Handling and storage

7.1 Precautions for safe handling

Ensure that there is adequate ventilation, especially in confined areas.

- Open and handle container with care.
- Fire prevention:

Keep ignition sources away - Do not smoke. Take precautionary measures against static discharges. Pressurized container. Protect from sunlight and temperatures above 50 ° C (eg by Electric lights). Do not open by force or burn even after use. Do not spray in flames or on hot surfaces.

10-30 °C

2B

7.2 Conditions for safe storage, including any incompatibilities

Storage · Requirements for storage rooms and vessels:

Store in a cool place.

Official regulations on storing pressurized containers must be observed.

Store away from oxidizing agents.

Further information about storage conditions:

Store in tightly closed containers in a cool, dry place.

Protect from heat and direct sunlight. Ensure adequate ventilation.

Recommended storage temperature:

- Storage class:
- 7.3 Specific end use(s) Keep out of reach of children.

8 Exposure controls/personal protection

8.1 Control parameters

Occupational exposure	e limits Countrv	Exposure limit	ml/m³	mg/m³	Remarks
74.00 C Dronon		AGW			
74-98-6 Propan	D, TRGS 900 UK, WEL	TWA	1000 1000	1800 1800	4(II);DFG 8 h
106-97-8 Butan	D, TRGS 900	AGW	1000	2400	4(II);DFG
	UK, WEL	TWA	600	1450	8 h
		STEL	750	1810	15 min
	F, INRS	VME	800	1900	8 h
67-63-0 Propan-2-ol	D, TRGS 900	AGW	200	500	2(II);DFG, Y
-	UK, WEL	TWA	400	999	8 h
		STEL	500	1250	15 min
	F, INRS	VLE	400	980	15 min
Biological limits	Country	mg/l	Remarl	s	
67-63-0 Propan-2-ol	D, TRGS 903	25	Acetone	e, Blood, e	end of shift/exposure
-		25	Acetone	e, Urine, e	nd of shift/exposure

8.2 Exposure controls / Personal protection

Use personal protective equipment that is clean and has been properly maintained. Store personal protective equipment in a clean place, away from the work area. Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.



Safety Data Sheet Regulation (EC) Nr. 1907/2006 (REACH)

nt date: 20.04.2017 Revision number 3.1	Version date: 20.04.2017
uct name: Eberduftspray	Product code: 22153
Eye / face protection	
Avoid contact with eyes. Use eye protectors designed to p handling, wear safety goggles with protective sides accord event of high danger, protect the face with a face shield. W accordance with standard EN166. Prescription glasses are Individuals wearing contact lenses should wear prescriptio may be exposed to irritant vapours. Provide eyewash stati handled constantly.	dance with standard EN166. In the When spraying, wear a face shield in e not considered as protection. In glasses during work where they
Hand protection	
Wear suitable protective gloves in the event of prolonged of protective gloves that are resistant to chemical agents in ac Gloves must be selected according to the application and d Protective gloves need to be selected according to their sui : other chemical products that may be handled, necessary p heat protection), level of dexterity required. Type of gloves recommended :	coordance with standard EN374. luration of use at the workstation. tability for the workstation in questio
- Natural latex	
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (N	BR))
 PVC (polyvinyl chloride) Butyl Rubber (Isobutylene-isoprene copolymer) 	
Recommended properties :	
- Impervious gloves in accordance with standard EN374	
Skin protection (other than of the hands)	
Work clothing worn by personnel shall be laundered regular parts of the body that have been soiled must be washed.	rly. After contact with the product, al
Respiratory protection	
In case of insufficient ventilation, wear respiratory protective	e equipment with filter.
Thermal hazards	
Pressurised container: May burst if heated.	
Exposure controls regarding environmental protection	
No data available.	

9.1 Information on basic physical and chemical properties · General Information

· Appearence:	
Form:	Aerosol
Colour:	colourless
· Odour:	urine-like
 Smell Threshold: 	not determined
· pH:	not determined
· Change of state	
Melting point/range:	not relevant
Boiling point/range:	< -20 °C
· Flash point:	< -20 °C
 Flammability (solid, gas): 	Extremely flammable aerosol
 Ignition temperature: 	365 °C
 Thermal decomposition: 	not relevant
· Autoinflammability:	not self-flammable
· Explosion hazard:	Pressurised container: May burst if heated.



Regulation (EC) Nr. 1907/2006 (REACH)

 Print date: 20.04.2017
 Revision number 3.1
 Version date: 20.04.2017

 Product name: Eberduftspray
 Product code: 22153

 Explosion limits:
 Product code: 22153

· Explosion limits:	
Lower:	1.4 Vol%
Upper:	14.3 Vol%
 Vapour pressure at 20 °C: 	not determined
· Density:	not determined
· Bulk density	not determined
· Vapour density	not determined
Evaporation rate	not determined
 Solubility / miscibility 	
Water:	insoluable
 Partition coefficient (n-Octanol/Water): 	not determined
· Viscosity:	not determined
 Oxidising properties 	not determined
9.2 Other information	

No data available.

10 Stability and reactivity

10.1 Reactivity Heating may cause a fire or explosion.

- **10.2 Chemical stability** This mixture is stable under the recommended handling and storage conditions in section 7.
- **10.3 Possibility of hazardous reactions** No hazardous reactions when stored under the recommended handling and storage conditions.
- **10.4 Conditions to avoid:** Sunlight. High temperatures. Keep away from sources of ignition.

10.5 Incompatible materials: Reacts with strong oxidants.

10.6 Hazardous decomposition products: None when used as intended.

11 Toxicological information

11.1 Information on toxicological effects

Acute toxicity:

Ingestion: Gastrointestinal symptoms, including upset stomach.

Skin corrosion/irritation:

Skin Contact: May cause mild irritation.

Eye damage/irritation:

Eye Contact: May cause irritation of the eyes.

Sensitisation, respiratory or skin:

Based on available data, the classification criteria are not met.

Carcinogenicity, mutagenicity, and toxicity for reproduction (CMR): Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT), single/repeated exposure: Based on available data, the classification criteria are not met.



Print date: 20.04.2017

Safety Data Sheet

Regulation (EC) Nr. 1907/2006 (REACH) Version date: 20.04.2017

Revision number 3.1

Product code: 22153

Product name: Eberduftspray

Aspiration hazard:

Based on available data, the classification criteria are not met.

Additional toxicological information:

Inhalation of vapors may cause irritation of the upper respiratory tract. Inhalation of concentrated vapors as well as oral intake will lead to anesthesia-like conditions and headache, dizziness, etc. Has a degreasing effect on the skin!

12 Ecological information		
12.1 Toxicity <u>Aquatic Toxicity:</u>	Not determined.	
12.2 Persistence and degradability	The product is expected to be biodegradable.	
12.3 Bioaccumulative potential	The product does not contain any substances expected to be bioaccumulating.	
12.4 Mobility in soil	No data available.	
12.5 Results of PBT and vPvB assessment	The mixture does not meet the criteria for PBT or vPvB.	
12.6 Other adverse effects	No data available.	

13 Disposal considerations

13.1 Waste treatment methods

Recommendation:

Must not be disposed together with household garbage. Do not empty into drains. Must be supplied to an authorized hazardous waste incineration plant, after pretreatment, in accordance with regulations for special waste.

European waste catalog

The listed (n) waste number (s) according to the European Waste Catalogue (EWC), are a recommendation. A final decision must be taken in agreement with the regional waste management company.

16 05 04* gases in pressure containers, containing hazardous substances (including halons) **Uncleaned packaging:**

Recommendation: Disposal according to official regulations.

14 Transport information	
14.1 UN number · ADR/RID, ADN, IMDG, ICAO/IATA	UN1950
14.2 UN proper shipping name · ADR/RID, ADN IMDG · ICAO/IATA	AEROSOLS AEROSOLS AEROSOLS, flammable
14.3 Transport hazard class(es) · ADR/RID, ADN, IMDG, ICAO/IATA	2.1



Regulation (EC) Nr. 1907/2006 (REACH)

Print date: 20.04.2017 Revision number 3.1 Version date: 20.04.2017 Product name: Eberduftspray Product code: 22153 **Classification code** · ADR/RID. ADN 5F 14.4 Packing group none 14.5 Environmental hazards none 14.6 Special precautions for user EmS F-D, S-U 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

15 Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU-Regulations

None

National Regulations

<u>Germany</u>: Water hazard class (WGK) slightly hazardous to water (WGK 1), Classification according to VwVwS

15.2 Chemical safety assessment: No data available

16 Other information

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations. The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions. It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations. The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Revision notes

* Changes since the last version

Abbreviations

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class).

Title for H and EUH indications (Number and text)

H220 Extremely flammable gas.

H222 Extremely flammable aerosol.

H225 Highly flammable liquid and vapour.

H229 Pressurised container: May burst if heated.

H280 Contains gas under pressure; may explode if heated.

H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.

Methods of evaluating information referred to in Article 9 of Regulation (EC) No 1272/2008 for the purpose of classification

Classification based on the components